

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	2	("20040017725").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 14:48
S4	11	((("20010043206") or ("5929831") or ("5726679") or ("20010026285") or ("5594463")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 15:14
S5	555	345/84.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 15:15
S6	1	S5 and ((biasing adj voltage) near9 regulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 15:16
S7	3	S5 and (biasing adj voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 15:16
S8	840	(345/82).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 15:42
S9	1916	(345/82,46,55).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 15:43
S10	148	regulat\$3 near5 (biasing adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 16:03
S11	17	S10 and (current adj mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 15:45
S12	148	S10 and regulat\$3 near5 (biasing adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 16:03

S13	0	S9 and regulat\$3 near5 (biasing adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 16:03
S14	4	S9 and (biasing adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 16:03
S15	12	("3517258").URPN.	USPAT	OR	OFF	2005/09/19 16:15
S16	7513153	US "20050035933" A1	USPAT	OR	OFF	2005/09/19 16:15
S17	2	("20050035933").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 16:15
S18	205	(biasing adj voltage\$1) near9 regulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 11:39
S19	21	S18 and (led)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 11:34
S20	11905	(biasing adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 11:39
S21	143	S20 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 11:40
S22	154	S20 and ("345"/\$.ccls. or 315/169.3.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 11:40
S23	16	S22 and luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 12:56
S24	11905	(biasing adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 12:56

S25	154	S24 and ("345"/\$.ccls. or 315/169.3.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 12:56
S26	73	S25 and (luminance or bright\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 12:57
S27	16	S25 and luminance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 12:57
S28	57	S26 not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 13:01
S29	498	345/212.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:58
S30	18	S29 and biasing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:03
S38	15	("3925690"   "4190836"   "4417240"   "5198803"   "5371421"   "5576654"   "5701133").PN. OR ("5966110").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 11:35
S39	608	345/82.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 11:35
S40	47	S39 and (current adj mirror)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 11:35
S41	44	S40 and reference	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 11:35
S42	25	S40 and (reference near3 current)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 11:36
S43	716942	led or oled	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:07
S44	22403	S43 and (driv\$3 adj circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:08

S45	349	S44 and (reference adj current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:08
S46	132	S45 and (current adj mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:09
S47	460225	S46 adn feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:09
S48	50	S46 and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:09
S49	229903	S43 and (compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:19
S50	1035	S49 and (reference adj current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:19
S51	218	S50 and (current adj mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:20
S52	137	S51 and bias\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:23
S53	123	S52 and driv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:20
S54	182	vpol or ("v.sub.pol")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 08:15
S55	17	S54 and led	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 08:15

S56	17	S54 and led\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 08:15
S57	0	("2002/0101172").URPN.	USPAT	OR	OFF	2005/09/23 08:23
S58	203997	(oled\$1 or led\$1)	USPAT	OR	OFF	2005/09/23 08:23
S59	9411	S58 and (compar\$4 near8 current\$1)	USPAT	OR	OFF	2005/09/23 08:23
S60	1356	S59 and (reference near3 current)	USPAT	OR	OFF	2005/09/23 08:24
S61	262	S60 and column\$1	USPAT	OR	OFF	2005/09/23 08:25
S62	118	S61 and (luminance or brightness or illuminat\$3 or brightens)	USPAT	OR	OFF	2005/09/23 13:41
S63	40	S61 and (current adj mirror\$1)	USPAT	OR	OFF	2005/09/23 13:39
S64	33	S63 not S62	USPAT	OR	OFF	2005/09/23 09:07
S65	21	("5093654"   "5235253"   "5323408"   "5386179"   "5463279"   "5581159"   "5594463"   "5783909"   "5940058"   "5962845").PN. OR ("6518962").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 09:21
S66	22	("4736137"   "4983885"   "5066945"   "5093654"   "5311169"   "5315695"   "5451978").PN. OR ("5594463").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 10:01
S67	8	("20010033252"   "20020101395"   "20020125831"   "6424326"   "6473065"   "6501230"   "6518962").PN. OR ("6710548").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 13:23
S68	203997	(oled\$1 or led\$1)	USPAT	OR	OFF	2005/09/23 13:39
S69	9411	S68 and (compar\$4 near8 current\$1)	USPAT	OR	OFF	2005/09/23 13:39
S70	1356	S69 and (reference near3 current)	USPAT	OR	OFF	2005/09/23 13:39
S71	198	S70 and (current adj mirror\$1)	USPAT	OR	OFF	2005/09/23 13:39
S72	42	S71 and (luminance or brightness or illuminat\$3 or brightens)	USPAT	OR	OFF	2005/09/23 13:42
S73	22	S72 not "64"	USPAT	OR	OFF	2005/09/23 13:42
S74	262	S70 and column\$1	USPAT	OR	OFF	2005/09/23 13:42
S75	118	S74 and (luminance or brightness or illuminat\$3 or brightens)	USPAT	OR	OFF	2005/09/23 13:42
S76	40	S74 and (current adj mirror\$1)	USPAT	OR	OFF	2005/09/23 13:42
S77	33	S76 not S75	USPAT	OR	OFF	2005/09/23 13:42
S78	42	S72 not S77	USPAT	OR	OFF	2005/09/23 13:42
S79	196595	led\$1 and (compar\$5) and reference	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 08:07
S80	197763	led\$1 and (compar\$5) and reference	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 08:08
S81	12406	led\$1 and ((compar\$5) same reference same current\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 08:13
S82	2265	S81 and column\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 08:09
S83	3069	S81 and (column\$1 or row\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 08:18

S84	1134	S83 and (lumina\$4 or illumina\$4 or bright\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 08:18
S85	1049	S84 and (increas\$3 or decreas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 08:19
S86	2062	led\$1 and (((compar\$5) near9 reference near9 current\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 08:13
S87	459	S86 and (column\$1 or row\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 08:18
S88	229	S87 and (lumina\$4 or illumina\$4 or bright\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 09:12
S89	220	S88 and (increas\$3 or decreas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 08:19
S90	8	((("6518962") or ("6633135") or ("5594463") or ("6710548")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 09:12
S93	10170	error adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:43
S94	696	S93 and led\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:44
S95	45	S94 and (reference adj current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:06
S96	2	S95 and pmos	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:44

S97	44	S95 and transistor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:44
S98	35	S95 and (dc or "d.c." or (direct adj current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:46
S99	4270	(error adj amplifier) and converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:08
S10 0	198	S99 and pmos	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:08
S10 1	157	S100 and (dc or "d.c." or (direct adj current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:07
S10 2	116	S101 and drain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:08
S10 3	2281	(error adj amplifier) same converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:08
S10 4	7	(error adj amplifier) same converter same pmos same drain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:08
S10 5	11	(error adj amplifier) same converter same pmos	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:17
S10 6	851	(error adj amplifier) same (current adj source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:19
S10 7	720	S106 and transistor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:19

S10 8	441	(error adj amplifier) same (current adj source\$1) same transistor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:20
S10 9	241	(error adj amplifier) same (current adj source\$1) same transistor\$1 same resistor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:21
S11 0	222	(error adj amplifier) same (current adj source\$1) same transistor\$1 same resistor\$1 same voltage\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:22
S11 1	32	(error adj amplifier) same (current adj source\$1) same transistor\$1 same resistor\$1 same voltage\$1 and led	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:26
S11 2	6	(error adj amplifier) same (current adj source\$1) same transistor\$1 same resistor\$1 same voltage\$1 same protect\$3 and led	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 14:26
S11 3	2	led\$1 and (diode same anode same cathode same (observation adj current adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 08:45
S11 4	469	led\$1 and (diode same anode same cathode same ( current adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 08:49
S11 5	452	S114 and (adjustment or regulat\$3 or bias\$3 or correct\$3 or increas\$3 or decreas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 08:47
S11 6	296	S114 and compar\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 08:47
S11 7	44	led\$1 and (compar\$3 same diode same anode same cathode same ( current adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 08:56
S11 8	15	S116 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 09:02



S11 9	4	((("6667580") or ("20040155844")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 09:03
S12 0	21	("5093654"   "5235253"   "5323408"   "5386179"   "5463279"   "5581159"   "5594463"   "5783909"   "5940058"   "5962845").PN. OR ("6518962").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/27 09:19
S12 1	22	("4736137"   "4983885"   "5066945"   "5093654"   "5311169"   "5315695"   "5451978").PN. OR ("5594463").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/27 13:18
S12 2	5	((("5594463") or ("5726679")).PN. or (2001/026285).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 13:19
S12 3	9661	diode near10 (current adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:39
S12 4	5355	diode near10 (current adj source) near10 (connect\$3 or coupl\$3 or join\$3 or wir\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:39
S12 5	72	S124 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 08:16
S12 6	13	"diode connected transistor" near3 equivalent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 10:58